



barkman™

Urban
Spaces

2021





Intense pride in our product, and its origins.

For over 70 years, Barkman has helped customers make the most of the spaces that matter. We know that it's not just concrete, it's the urban spaces we live, work and play in. When it comes to electing finishes for these active environments, beauty and durability is key.

Now, 70 years on, we have continued to invest in our future to ensure many more years of concrete innovation. Our state-of-the-art facility in Steinbach, Manitoba is among the most advanced in North America. It represents our continued commitment to creating time-tested and visually stunning concrete. It enables us to offer our most diverse range of products ever. Whatever look you want – be it traditional or contemporary – you'll find it in Barkman's line of site furnishings, all in a wide array of beautiful colours and shapes. It's your space, and if it matters to you, it matters to us.

That's why we do our best to ensure all our products exceed industry standards. Our very own product development team is constantly researching new methods and technologies so that we don't just stay up to date, we lead the way. And our team of highly skilled craftsmen make certain that every piece of concrete that leaves our facility is ready to withstand the extremes of the Canadian climate. No matter the size of your space or the requirements of your project, you can trust Barkman to provide you with the highest quality concrete products.




- 3 Collections
- 7 Planters
- 16 Benches
- 21 Tables
- 23 Waste Containers
- 25 Custom Solutions
- 26 Accessories
- 27 Event Barrier
- 28 Specifications
- 31 Self-Watering Inserts
- 32 Install Guide
- 33 Colours
- 33 Important Information



Junction

Site Furnishings NEW

Junction is Barkman's new 2021 site furnishings system. It is comprised of three sizes with multiple configurations that can be used separately or with one another to form a complete seating system. 45", 60", and 90" lengths are available.



For full specs please see the Barkman 2021 Specifications guide, visit BarkmanConcrete.com or download our Barkman app.



HEXAGON

Site Furnishings



Hexagon site furnishings allow for a compelling take on public art and urban design. Create endless designs with the modularity of Hexagon by using it as a set, an art piece or a planter.

Wall
Size (D x H)
457 x 529mm
18 x 20.81 in

Half Wall
Size (D x H)
457 x 264mm
18 x 10.41 in




Take it up a level, at every level

Indoors or outdoors, Barkman can tie your space together with our GFRC (glass fiber reinforced concrete) or modern Cast planter options. These durable, permanent fixtures are available in a myriad of styles, sizes and colours to suit the flora feature of your choice.

Cast Planters

Cast is an original Barkman planter design featuring modern silhouettes and a textured raw concrete finish. Heavy and solid, these planters can also serve as a barrier to cars and they are perfect for any urban landscape. Choose from four colours and three classic shapes.



See page 28 for complete specifications of our Cast Planters.



Cast Planter
(page 28)

Cube GFRC Planters

The Cube line of planters has quickly become a favourite for large commercial applications. Its linear, right angled design adds a touch of class to any environment.



See page 28 for complete specifications of our Cube Planters.

Contempra GFRC Planters

Our most popular style of planter, Contempra brings a modern sophistication to any urban landscape. As with most of our planters, it is available in two shapes, round and square, and is very well suited to most applications.



See page 28 for complete specifications of our Contempra Planters.

Elan GFRC Planters

Make a statement by adding a vintage touch to your environment with this modern day classic. Whether it's indoors or outside, Elan's curvy style accents its surroundings with elegance.



See page 29 for complete specifications of our Elan Planters.

Santa Fe GFRC Planters

Incorporating Southern inspired style, these planters bring the flavor of New Mexico to your project. Its detailed edges will accentuate any color you choose.



See page 29 for complete specifications of our Santa Fe Planters.

Montana GFRC Planters


The Montana Planter incorporates a timeless design – round shaped with a curved top – that is suitable to a variety of environments.



See page 29 for complete specifications of our Montana Planters.

Newport GFRC Planters

A subtle design that allows its contents to take center stage, Newport is available in a full array of shapes and sizes that will suit any space it's placed in.



See page 30 for complete specifications of our Newport Planters.

BENCHES

Take a seat with style

Complete your urban space by providing a comfortable place to sit. Choose from our sleek-angled Skyline Bench, our ultra-modern One40Two or our well-rounded Cast Bench. We also continue to offer our classic bench styles in a variety of finishes and colours. It's worthwhile to explore adding a Cast or GFRC planter to complement your Barkman Bench.

Cast

Using a wet cast method, the Cast Bench combines clean lines and elegant curves in this celebration of simple, raw concrete. The Cast Benches are available with back rests and arm rests to meet American Disabilities Act (ADA) requirements.

Size (L x W x H)
2286 x 419 x 457 mm
90 x 16.5 x 18 in

With Back
Size (L x W x H)
2286 x 546.1 x 812.8 mm
90 x 21.5 x 32 in

Arm Rest (Stainless Steel)
441 x 76 x 292 mm
17 3/8 x 3 x 11 1/2 in



One40Two

Strong and distinct, the One40Two frame is angled 142-degrees, providing strength and support underneath the cedar seat. Formed via a wetcast process using superior grade materials, the One40Two Benches are available with back rests and arm rests to meet American Disabilities Act (ADA) requirements.

Size (L x W x H)
2121 x 451 x 457 mm
83.5 x 17.75 x 18 in

With Back
Size (L x W x H)
2120.9 x 671.58 x 823.98 mm
83.5 x 26.44 x 32.44 in



Skyline

The Skyline bench was inspired by the timeless visual of limbs branching off a tree. With no visible anchors or bolts, this sleek, angled bench is sure to garner attention.

Size (L x W x H)
1829 x 445 x 499 mm
72 x 17.5 x 19.63 in



Cube Garden

Size (L x W x H)
1600 x 508 x 508 mm
63 x 20 x 20 in

Seat (L x W)
1524 x 429 mm
60 x 16.875 in



Plaza

Size (L x W x H)
1829 x 800 x 914 mm
72 x 31.5 x 36 in



Brandon

Size (L x W x H)
1829 x 559 x 470 mm
72 x 22 x 18.5 in
(straight or curved)



Wellington

Size (L x W x H)
1880 x 610 x 432 mm
74 x 24 x 17 in





Invest in the best and choose a Barkman table for your residential or commercial space. We have taken our classic round pebblestone table and redesigned it with a smooth finish, available in our Cast colours. With this new design, you can mix and match different colours of seats, table tops and legs to create a unique style for any space.

Cast Wheelchair Patio Table

Size (L x W x H)
1561 x 1676 x 787 mm
61.44 x 66 x 31 in
ADA compliant



Cast Patio Table

Size (L x W x H)
1757 x 1757 x 470 mm
67 x 67 x 31 in



Ping Pong Table

Size (L x W x H)
2743 x 1524 x 762 mm
108 x 60 x 30 in

NEW





Our heavy duty waste containers come in square or round styles. All waste containers come complete with a lid and liner. Square waste containers come with a customizable colour accent band. You can also match existing Contempra, Santa Fe and Newport planters with a waste container from the same GFRC design series.

Cast

Size (L x W x H)
610 x 508 x 1257 mm
24 x 20 x 49.5 in
Note: can be purchased as one unit or multiple units combined.



Classic Round (Shown with Snuffer Attachment)

Classic Round Sizes (D x H) 559 x 787 mm 22 x 31 in	With Dome Lid 660 x 1118 mm 26 x 44 in
---	---



Classic Square

Classic Square Size (L x W x H) 610 x 610 x 1016 mm 24 x 24 x 40 in	Classic Square Recycling Size (L x W x H) 610 x 610 x 1016 mm 24 x 24 x 40 in
---	---



Contempra Santa Fe Newport

Contempra Size (D x H) 686 x 813 mm 27 x 32 in	Santa Fe Size (D x H) 737 x 813 mm 29 x 32 in	Newport Size (D x H) 686 x 813 mm 27 x 32 in
--	---	--



CUSTOM SOLUTIONS

As a leading concrete manufacturer, we are proud to offer you custom solutions for your various needs. Barkman's expertise in testing different mixes and forming techniques enable us to provide a wide range of custom site furnishing work, from wetcast to glass fiber reinforced concrete.

Contact us today to explore options for custom precast concrete that serve your specific requirements.



ACCESSORIES


Barkman has you covered when it comes to the perfect finishing touches for your projects. Whether you're looking to improve drainage around your property, protect entranceways or simply provide convenience – these accessories are not only decorative, but are highly functional and essential.



Splash Pads



Curbs




Bicycle Stands



Event Barriers



Boat Ramp Pads



Rain Drain/Floor Drain



Snuffers



Ash Urns

Oxford	Santa Fe	Newport
Size (D x H)	Size (D x H)	Size (D x H)
381 x 533 mm	381 x 533 mm	381 x 533 mm
15 x 21 in	15 x 21 in	15 x 21 in



Event Barrier

Size (L x W x H)
 610 x 508 x 1257 mm
 24 x 20 x 49.5 in
 Note: This product can be purchased as one unit or multiple units combined.

SPECIFICATIONS

Cast Precast Planters



SIZES (D X H)

749 x 775 mm	29.5 x 30.5 in
898 x 927 mm	35.37 x 36.5 in
1048 x 1079 mm	41.25 x 42.5 in

SIZES (L X W X H)

737 x 737 x 771 mm	29 x 29 x 30.37 in
889 x 889 x 924 mm	35 x 35 x 36.37 in
1041 x 1041 x 1076 mm	41 x 41 x 42.37 in

SIZES (L X W X H)

889 x 428 x 622 mm	35 x 16.87 x 24.5 in
1194 x 581 x 775 mm	47 x 22.87 x 30.5 in
1499 x 733 x 927 mm	59 x 28.87 x 36.5 in

Cube GFRC Planters



SIZES (L X W X H, BASE L X W)

508 x 508 x 762, 508 x 508 mm	20 x 20 x 30, 20 x 20 in
508 x 508 x 914, 508 x 508 mm	20 x 20 x 36, 20 x 20 in
508 x 508 x 1016, 508 x 508 mm	20 x 20 x 40, 20 x 20 in
610 x 610 x 610, 610 x 610 mm	24 x 24 x 24, 24 x 24 in
610 x 610 x 762, 610 x 610 mm	24 x 24 x 30, 24 x 24 in
610 x 610 x 914, 610 x 610 mm	24 x 24 x 36, 24 x 24 in
762 x 762 x 610, 762 x 762 mm	30 x 30 x 24, 30 x 30 in
762 x 762 x 762, 762 x 762 mm	30 x 30 x 30, 30 x 30 in
762 x 762 x 914, 762 x 762 mm	30 x 30 x 36, 30 x 30 in
914 x 914 x 610, 914 x 914 mm	36 x 36 x 24, 36 x 36 in
914 x 914 x 762, 914 x 914 mm	36 x 36 x 30, 36 x 36 in
914 x 914 x 914, 914 x 914 mm	36 x 36 x 36, 36 x 36 in
1143 x 1143 x 610, 1143 x 1143 mm	45 x 45 x 24, 45 x 45 in
1143 x 1143 x 762, 1143 x 1143 mm	45 x 45 x 30, 45 x 45 in
1143 x 1143 x 914, 1143 x 1143 mm	45 x 45 x 36, 45 x 45 in

SIZES (L X W X H, BASE L X W)

914 x 406 x 610, 914 x 406 mm	36 x 16 x 24, 36 x 16 in
914 x 406 x 762, 914 x 406 mm	36 x 16 x 30, 36 x 16 in
914 x 406 x 914, 914 x 406 mm	36 x 16 x 36, 36 x 16 in
1219 x 406 x 610, 1219 x 406 mm	48 x 16 x 24, 48 x 16 in
1219 x 406 x 762, 1219 x 406 mm	48 x 16 x 30, 48 x 16 in
1219 x 406 x 914, 1219 x 406 mm	48 x 16 x 36, 48 x 16 in
1219 x 610 x 610, 1219 x 610 mm	48 x 24 x 24, 48 x 24 in
1219 x 610 x 762, 1219 x 610 mm	48 x 24 x 30, 48 x 24 in
1219 x 610 x 914, 1219 x 610 mm	48 x 24 x 36, 48 x 24 in
1524 x 610 x 610, 1524 x 610 mm	60 x 24 x 24, 60 x 24 in
1524 x 610 x 762, 1524 x 610 mm	60 x 24 x 30, 60 x 24 in
1524 x 610 x 914, 1524 x 610 mm	60 x 24 x 36, 60 x 24 in
1829 x 610 x 610, 1829 x 610 mm	72 x 24 x 24, 72 x 24 in
1829 x 610 x 762, 1829 x 610 mm	72 x 24 x 30, 72 x 24 in
1829 x 610 x 914, 1829 x 610 mm	72 x 24 x 36, 72 x 24 in

Contempra GFRC Planters



SIZES (D X H, BASE D)

457 x 914, 254 mm	18 x 36, 10 in
610 x 305, 305 mm	24 x 12, 12 in
610 x 432, 305 mm	24 x 17, 12 in
610 x 559, 279 mm	24 x 22, 11 in
914 x 432, 394 mm	36 x 17, 15.5 in
914 x 559, 406 mm	36 x 22, 16 in
914 x 762, 394 mm	36 x 30, 15.5 in
1219 x 432, 584 mm	48 x 17, 23 in
1219 x 559, 584 mm	48 x 22, 23 in
1219 x 762, 610 mm	48 x 30, 24 in
1524 x 432, 572 mm	60 x 17, 22.5 in
1829 x 432, 622 mm	72 x 17, 24.5 in
2438 x 559, 902 mm	96 x 22, 35.5 in

SIZES (L/W X H, BASE L/W)

432 x 610, 254 mm	17 x 24, 10 in
457 x 762, 254 mm	18 x 30, 10 in
457 x 914, 254 mm	18 x 36, 10 in
508 x 1016, 305 mm	20 x 40, 12 in
610 x 432, 305 mm	24 x 17, 12 in
610 x 559, 305 mm	24 x 22, 12 in
838 x 559, 381 mm	33 x 22, 15 in
914 x 432, 432 mm	36 x 17, 17 in
914 x 762, 381 mm	36 x 30, 15 in
1092 x 559, 610 mm	43 x 22, 24 in
1143 x 762, 610 mm	45 x 30, 24 in

Elan GFRC Planters



SIZES (D X H, BASE D)

610 x 432, 381 mm	24 x 17, 15 in
914 x 559, 495 mm	36 x 22, 19.5 in
914 x 711, 432 mm	36 x 28, 17 in
1219 x 762 x 660 mm	48 x 30, 26 in

SIZES (L/W X H, BASE L/W)

610 x 432, 381 mm	24 x 17, 15 in
914 x 559, 432 mm	36 x 22, 17 in
914 x 762, 495 mm	36 x 30, 19.5 in
1219 x 762, 660 mm	48 x 30, 26 in

Santa Fe GFRC Planters



SIZES (D X H, BASE D)

610 x 305, 432 mm	24 x 12, 17 in
610 x 432, 432 mm	24 x 17, 17 in
610 x 559, 483 mm	24 x 22, 19 in
914 x 432, 787 mm	36 x 17, 31 in
914 x 559, 813 mm	36 x 22, 32 in
914 x 762, 724 mm	36 x 30, 28.5 in
1219 x 559, 1092 mm	48 x 22, 43 in
1219 x 914, 965 mm	48 x 36, 38 in
1524 x 559, 1295 mm	60 x 22, 51 in
1524 x 914, 1270 mm	60 x 36, 50 in
1676 x 1067, 1321 mm	66 x 42, 52 in
1829 x 559, 1575 mm	72 x 22, 62 in

SIZES (L/W X H, BASE L/W)

610 x 559, 483 mm	24 x 22, 19 in
991 x 559, 864 mm	39 x 22, 34 in
991 x 762, 813 mm	39 x 30, 32 in
1194 x 914, 1041 mm	47 x 36, 41 in
1829 x 762, 1676 mm	72 x 30, 66 in

SIZES (L X W X H, BASE L X W)

914 x 610 x 610, 686 x 381 mm	36 x 24 x 24, 27 x 15 in
991 x 838 x 610, 787 x 787 mm	39 x 33 x 24, 31 x 31 in
1829 x 762 x 762, 1676 x 610 mm	72 x 30 x 30, 66 x 24 in

Montana GFRC Planters



SIZES (D X H, BASE D)

610 x 432, 229 mm	24 x 17, 9 in
610 x 559, 254 mm	24 x 22, 10 in
762 x 559, 381 mm	30 x 22, 15 in
914 x 432, 432 mm	36 x 17, 17 in
914 x 559, 318 mm	36 x 22, 12.5 in
1219 x 432, 457 mm	48 x 17, 18 in
1219 x 559, 406 mm	48 x 22, 16 in
1219 x 762, 635 mm	48 x 30, 25 in
1524 x 432, 559 mm	60 x 17, 22 in
1524 x 559, 660 mm	60 x 22, 26 in
1829 x 432, 572 mm	72 x 17, 22.5 in
1829 x 559, 711 mm	72 x 22, 28 in

Newport GFRC Planters



SIZES (D X H, BASE D)

610 x 432, 305 mm	24 x 17, 12 in
610 x 559, 305 mm	24 x 22, 12 in
610 x 762, 356 mm	24 x 30, 14 in
762 x 762, 419 mm	30 x 30, 16.5 in
914 x 559, 483 mm	36 x 22, 19 in
914 x 762, 495 mm	36 x 30, 19.5 in
1219 x 660, 673 mm	48 x 26, 26.5 in
1219 x 762, 610 mm	48 x 30, 24 in
1219 x 914, 610 mm	48 x 36, 24 in
1524 x 914, 876 mm	60 x 36, 34.5 in
1829 x 914, 1156 mm	72 x 36, 45.5 in

SIZES (L X W X H, BASE L X W)

1829 x 610 x 584, 457 x 1575 mm	72 x 24 x 23, 18 x 62 in
---------------------------------	--------------------------

GFRC Planter Trays



SIZES (OUTSIDE D/INSIDE D X H)

470/381 x 44 mm	18.5/15 x 1.75 in
610/502 x 51 mm	24/19.75 x 2 in
914/762 x 64 mm	36/30 x 2.5 in
1022/864 x 76 mm	40.25/34 x 3 in
1359/1137 x 76 mm	53.5/44.75 x 3 in
1613/1372 x 95 mm	63.5/54 x 3.75 in
1956/1740 x 89 mm	77/68.5 x 3.5 in

SIZES (OUTSIDE D/INSIDE D X H)

508/406 x 76 mm	20/16 x 3 in
610/457 x 76 mm	24/18 x 3 in
699/546 x 76 mm	27.5/21.5 x 3 in
991/838 x 89 mm	39/33 x 3.5 in
1295/1118 x 89 mm	51/44 x 3.5 in



Resources Cast Across Multiple Platforms

For complete details on all Barkman products see the *Barkman 2021 Specifications* guide, visit BarkmanConcrete.com or download our Barkman app.

Self-Watering Inserts

Keep your plants healthy and beautiful with a Barkman self-watering planter insert. This add-on system is available in two square and two round sizes that fit most Barkman planters (for larger planters simply use two inserts that connect to a single drain hole). The self-watering planter insert provides plants with moisture whenever needed, reducing the amount of maintenance costs. Talk with your local sales associate for more information.

How it Works

- The self-watering planter insert (A) is placed directly on a layer of clean river rock (B), which is lined with landscape fabric (C). It is then covered on the top and all sides with four way mix top soil (D).
- Water is poured into the filling tube (E) to fill the water reservoir.
- Water is then wicked up the filter columns (F) (lined with landscape fabric – not visible here – to prevent soil from entering the water reservoir) providing the main source of water for the plants as they need it.



24" Square
Size (L x W x H)
610 x 610 x 203 mm
24 x 24 x 8 in



18" Round
Size (D x H)
457 x 203 mm
18 x 8 in



18" Square
Size (L x W x H)
457 x 457 x 203 mm
18 x 18 x 8 in



10" Round
Size (D x H)
254 x 178 mm
10 x 7 in



Install Guide

Here is a step-by-step guide to planter installation. For our Barkman warranty to qualify and to help with the longevity of your Barkman Planter, please adhere to our guide.

- Fill the bottom of the planter with clean river rock (A) to about 1/3 the height of the planter.
- Lay landscape fabric (B) directly on top of the river rock.
- Fill the rest of the planter with potting soil or top soil (C) (do not use gumbo or clay) and make sure the wrapped plant bulb (D) is completely surrounded. The depth of the soil underneath the bulb should be at least equal to the same depth of the river rock.

Refer to BarkmanConcrete.com for more information on our Site Furnishing maintenance guides and warranty policy.



Colours

GFRC Surface Applied Colour

Available in smooth or textured finish.



Bright White Carmine Cordoba



Dark Brown Ebony Flagstone



Limestone Olive Toledo

GFRC Raw Integral Colour

Pigmentation throughout the product with no applied finish, ideal for high traffic. Available in smooth only.



Natural Raw Integral Ebony Raw Integral Limestone

GFRC Surface Finishes

Available in textured or smooth. Custom colours for GFRC are available at a premium 15%



Textured Smooth

Classic Precast finishes

Standard Colour



Natural Pebblestone

Premium Colour

Premium Charcoal Pebblestone and Natural Sandblast finishes add 25% to cost.



Charcoal Pebblestone Natural Sandblasted

Cast Planters finishes



Grey Natural



Charcoal White

Square Waste Container Accent Colours

Lid and Band Colours



Grey Red

Important Information

The Environment

At Barkman we are committed to being good stewards of the planet. Not only are our products excellent choices for people concerned about the environment, we employ environmental best practices throughout our manufacturing and operations whenever possible.

Quality and Support Pledge

All Barkman products are guaranteed to meet or exceed the Canadian Standards Association (CSA) standards. We use only superior grade materials and employ stringent quality control measures throughout the manufacturing process to ensure a quality product every time. We also support our products with one of the industry's largest network of dealers and contractors. When you need us, we'll be there to help.

Warranty

Barkman Concrete warrants the structural integrity of our site furnishing components (as defined in the products section of our warranty). We will replace or repair at our option, without charge any defective product installed

and maintained to our guidelines under normal use within 24 months from the date the product is received. For more information, please go to our website at BarkmanConcrete.com/about/warranty.

How to Order

To order your Barkman site furnishings, please email us at sf@BarkmanConcrete.com or call our Winnipeg office at 1 800 342 2879 and ask to speak with our Site Furnishings Manager. Please be ready to specify product style and colour choice if required. Note that all specifications in the product catalogue are nominal.

Actual Colours May Vary

Every effort has been made to ensure accuracy in the colour representations found in this product catalogue. However, due to the natural characteristics of concrete, the manufacturing process and print reproduction, actual colours in the final product may vary from that shown.

Our Locations

Steinbach Office

152 Brandt Street
Steinbach, MB
R5G 0R2
P 204 326 3445
T 1 800 461 2278
F 204 326 5915
Steinbach@BarkmanConcrete.com

Winnipeg Office

901 Gateway Road
Winnipeg, MB
R2K 3L1
P 204 667 3310
T 1 800 342 2879
F 204 663 4854
Winnipeg@BarkmanConcrete.com

Calgary Office

813 McCool Street
Box 1136,
Crossfield, AB
T0M 0S0
P 403 946 4630
F 403 946 4631
Calgary@BarkmanConcrete.com

Vancouver Office

2104-290 Newport Drive
Port Moody, BC
V3H 5N2
P 778 689 7670
T 1 800 461 2278
F 604 949 0321
Vancouver@BarkmanConcrete.com

Saskatoon Distribution Centre

3550 Idylwyld Drive North,
Saskatoon, SK
S7L 6G3
T 1 800 461 2278

Kelowna Distribution Centre

1904 Old Okanagan Highway,
West Kelowna, BC
V4T 1T8
P 403 946 4630

Surrey Distribution Centre

8157 132nd Street
Surrey, BC
V3W 4N5
P 403 946 4630

barkman™

BarkmanConcrete.com

