

# PAVE THE WAY FOR INSPIRATION

What does your perfect outdoor space look like?
Sleek and modern? Elegant and natural? Steeped in
Old World charm? Whatever your vision, the Basalite
paver collection will help you bring that vision to life.

Slab Series	05
Plank Series	07
Wood Grain Series	09
Artisan Premier	11

Premier Smooth	13
CitySCAPE Series Windsor	15
Permeable Mission	17

Stay-True Technology	19
Typical Paver Installation	20
Patterns	2
Application Use Guide	2



### TRUSTED INNOVATION

Constructed of durable, quality materials by qualified technicians, Basalite pavers stand the test of time, enhancing the functionality and aesthetic appeal of your home for years to come.


**Expertise** | Basalite is the trusted industry leader in hardscape products, with a history of innovation in materials, techniques, and technologies.

**Service** | We're proud of our reputation for exceptional service and reliability among retailers, landscape architects, engineers, and contractors.

Quality | Crafted in our local, state-of-the-art facility by qualified hardscape professionals, our pavers meet the highest quality standards.

Choice | Create the perfect look with a wide selection of paving styles, finishes, colours, and patterns to complement every home.

**Durability** | Combining style with strength, Basalite pavers are constructed to stand up against the elements and look good for years.



# SLAB SERIES<sup>TM</sup> SIMPLE AND VERSATILE.


The possibilities are endless for this smooth or textured, cleanlined slab. Use them individually as stepping stones or combine them to create continuous surfaces such as patios or pathways.

### **COLOURS**





**SPECIFICATIONS** 




NAME	TEXTURE	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	APP	LICATIO	NS
12x12 Natural	Smooth	303mm W x 303mm L x 45mm H	11.93" W x 11.93" L x 1.77" H	10 kg	Χ		_
18x18 Natural	Smooth	455mm W x 455mm L x 45mm H	17.91" W x 17.91" L x 1.77" H	23 kg	Χ		
18x18 Charcoal	Smooth	455mm W x 455mm L x 45mm H	17.91" W x 17.91" L x 1.77" H	23 kg	X		
12x24 Natural	Smooth	303mm W x 608mm L x 50mm H	11.93" W x 23.94" L x 1.77" H	20.25kg	X		
12x24 Charcoal	Smooth	303mm W x 608mm L x 50mm H	11.93" W x 23.94" L x 1.77" H	20.25kg	X		
24x24 Natural	Smooth, Slate or Washed	608mm W x 608mm L x 50mm H	23.94" W x 23.94" L x 1.97" H	40.5 kg	X		
24x24 Charcoal	Smooth	608mm W x 608mm L x 50mm H	23.94" W x 23.94" L x 1.97" H	40.5 kg	Χ		

For design consideration add 2mm or .07" to the W and L dimensions to allow for the spacers.









# PLANK SERIES<sup>TM</sup> SLEEK AND MODFRN.

Make a bold and elegant statement with these ultra-modern, streamlined pavers. Choose a natural tone palette for a serene, understated effect, or mix shades for graphic appeal and impact.


### **COLOURS**







**SPECIFICATIONS** 




NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. FT./PALLET	APP	LICAT	IONS
3x12	76mm W x 305mm L x 100mm H	3" W x 12" L x 4" H	4.8 kg	280	68	Х	Х	X
3x18	76mm W x 457mm L x 100mm H	3" W x 18" L x 4" H	7.2 kg	140	51	X		

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.









## WOOD GRAIN SERIES™ WARM AND NATURAL.


The warmth and appeal of natural wood is captured in fine detail with this durable, low-maintenance concrete paver that's perfect for decks and transitional spaces.

### **COLOURS**



Driftwood

### **SPECIFICATIONS**



	LATTIC BULLTHISIONIS	114DED141 D114E11G1011G	WEIGHT		00 FT (DALLET	APPLICA		IONS
NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT UNITS/PALLET		SQ. F1./PALLET	庆	大   二	
Wood Grain	148mm W x 448mm L x 60mm H	5.83" W x 17.64" L x 2.375" H	8.6 kg	112	80	Х		

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.




PEDESTRIAN Indicates product is suitable for projects with pedestrian use.



LIGHT-DUTY VEHICULAR Indicates product is suitable for projects with light-duty vehicular use.



HEAVY-DUTY VEHICULAR Indicates product is suitable for projects with commercial or heavy-duty vehicular use.



## ARTISAN SLATE PREMIER

This premium paver features a subtle slate texture that has the look of real stone, includes a variety of patterns and is available with Basalite's Stay-True™ Technology for outstanding durability. (see page 17 for more details)


### **COLOURS**







### **SPECIFICATIONS**



NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. FT./PALLET		LICAT	IONS
6x6	148mm W x 148mm L x 60mm H	5.83" W x 5.83" L x 2.375" H	3.2 kg	256	108	X	Х	
6x12	148mm W x 298mm L x 60mm H	5.83" W x 11.73" L x 2.375" H	6.1 kg	224	108	X	Χ	
12x12	298mm W x 298mm L x 60mm H	11.73" W x 11.73" L x 2.375" H	9.1 kg	112	108	X	Х	

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.










STAY-TRUE™ TECHNOLOGY Product is available with Basalite® Stay-True™ technology. See page 17 for more information.



### PREMIER SMOOTH BOLD AND MODERN

Premier Smooth Pavers have the power to create a serene and soothing atmosphere and easily complements any home or landscape. The Premier Smooth's natural beauty provides the homeowner with polished contemporary lines and the look of real stone. Available with Basalite's Stay-True™ Technology for outstanding durability. (see page 17 for more details)


### **COLOURS**








SPECIFICATIONS







NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. FT./PALLET		LICAT	IONS
6x6	148mm W x 148mm L x 60mm H	5.83" W x 5.83" L x 2.375" H	3.2 kg	256	62	X	Х	
6x12	148mm W x 298mm L x 60mm H	5.83" W x 11.73" L x 2.375" H	6.1 kg	224	108	X	Х	
12x12	298mm W x 298mm L x 60mm H	11.73" W x 11.73" L x 2.375" H	12.3 kg	112	108	X	Х	


For design consideration add 1.5mm or .06" to the W and L dimensions to allow for spacers.











# CITYSCAPE SERIES WINDSOR CLEAN AND CLASSIC.

These pavers have a classic touch, offering two colour choices and several appealing patterns. Create unique and enduring hardscapes with this inspiring series.

### **COLOURS**





### **SPECIFICATIONS**




NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. FT./PALLET	APP	LICAT	IONS
4x8	98mm W x 198mm L x 60mm H	3.85" W x 7.79" L x 2.375" H	2.7 kg	504	112	Χ	X	

For design consideration add 2mm or .07" to the W and L dimensions to allow for the spacers.









# PERMEABLE MISSION BEAUTIFUL AND SUSTAINABLE

Permeable Mission allows water to drain naturally into the surface, providing safer and drier conditions for pedestrians. These pavers come palletized in a herringbone pattern, ready for mechanical installation to help increase the speed of construction.

### **COLOURS**





### **SPECIFICATIONS**



NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. FT./PALLET		LICAT	IONS
4.5x9	104mm W x 216.5mm L x 80mm H	4.1" W x 8.52" L x 3.15" H	4.66 kg	228	62.1	Χ	X	X

For design consideration add 8 mm or .315" to the W and L dimensions to allow for the spacers.



PEDESTRIAN Indicates product is suitable for projects with pedestrian use.



LIGHT-DUTY VEHICULAR Indicates product is suitable for projects with light-duty vehicular use.




HEAVY-DUTY VEHICULAR Indicates product is suitable for projects with commercial or heavy-duty vehicular use.



MECHANICAL INSTALLATION
This product is manufactured for mechanical installation. A labor saving option for large installations.

### THE STAY-TRUETM DIFFERENCE

All standard finished pavers are available with Basalite® Stay-True™ Technology.



The base is made up of high-strength concrete, providing long-lasting compressive strength.

### **RICH COLOURS**

Laboratory color results after pavers were exposed outdoors for over 3 years.



Without Stay-True™



With Stay-True™

### **ACID RAIN**

Improves resistance to acid rain which contributes to paver fading and general wear.



Without Stay-True™



With Stay-True™

### STAIN RESISTANT

Protects against stains, like mustard, wine, ketchup and coffee as tested below.



Without Stay-True $^{\text{TM}}$ 




With Stay-True™

## TYPICAL PAVER INSTALLATION

Basalite concrete pavers are designed for optimal style and durability. Correct installation will ensure that your outdoor space looks beautiful for years to come. These instructions provide a basic overview of paver installation methods. Because methods vary for each product and application use, visit basalite.ca for installation instructions or refer to the standard ICPI installation method (ICPI.org).

- Excavate unsuitable, unstable or unconsolidated subgrade material and compact the area which has been cleared. Backfill and level with dense graded aggregate suitable for base material (typically 3" to 6" for pedestrian or light vehicular traffic and 8" to 10" for driveway applications), or as otherwise directed by the site engineer, architect, or landscape architect.
- 2. Install edge restraint using concrete curb, concrete toe or edging.
- 3. Place bedding course of sharp, normal-weight screening or concrete sand to a uniform depth of approximately 1" leveled to grade.
- Install Basalite pavers hand tight with joints approximately 1/8\*.
   Where required, cut stones with an approved cutter to fit accurately.
- 5. Pavers should be pulled from multiple pallets for proper color blending.
- 6. Tamp pavers with mechanical vibrator, uniformly level, true to grade and free of movement. Textured pavers require a rubber pad for the vibrator to reduce scuffing.
- 7. Fill voids in joints by sweeping dry, fine, sharp sand over pavers.



### PATTERNS


Refer to the letter designation under each pattern and at the bottom of the page for paver products that can be used with the patterns shown.

### ONE PIECE PATTERNS


Square Running bond 100% of 4.5x4.5, 6x6, 9x9, 12x12, 18x18 or 24x24

SS | ASP | PRS


Rectangle Running bond 100% 3x18, 3x12, Wood Grain, 6x12, 4.5x9 or 4x8




Stacked 100% of 12x12, 18x18 or 24x24



90% Herringbone 100% 3x18, 3x12, Wood Grain, 6x12, 4.5x9 or 4x8




Basket Weave 100% 3x18, 3x12, Wood Grain, 6x12, 4.5x9 or 4x8



PS | WG | ASP | PRS | CSW

Double Basket Weave


100% 3x18, 3x12, Wood Grain, 6x12, 4.5x9 or 4x8




PS | WG | ASP | PRS | CSW

### TWO & THREE PIECE PATTERNS

Mixed Running Bond 50% 3x18 and 3x12



Double Half Pinwheel 80% 6x12 and 20% 6x6 or 80% 4.5x9 and 20% 4.5x4.5



WANT MORE PATTERNS?

Visit Basalite.ca, select the paver you are looking for, Product Documents and Paver Patterns to see all available patterns.

## APPLICATION USE GUIDE

### Not sure what product will fit your project?

The Application Use Guide lets you know what paver products are suitable for pedestrian and vehicular traffic conditions.

				APP	LICAT	IONS
PAGE	PRODUCT	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	홋		
6	12x12 Natural (Smooth)	303mm W x 303mm L x 45mm H	11.93" W x 11.93" L x 1.77" H	Χ		
6	18x18 Natural (Smooth)	455mm W x 455mm L x 45mm H	17.91" W x 17.91" L x 1.77" H	Χ		
6	18x18 Charcoal (Smooth)	455mm W x 455mm L x 45mm H	17.91" W x 17.91" L x 1.77" H	Χ		1
6	12x24 Natural (Smooth)	303mm W x 608mm L x 50mm H	11.93" W x 23.94" L x 1.77" H	Χ		
6	12x24 Charcoal (Smooth)	303mm W x 608mm L x 50mm H	11.93" W x 23.94" L x 1.77" H	Χ		
6	24x24 Natural (Smooth, Slate or Washed)	608mm W x 608mm L x 50mm H	23.94" W x 23.94" L x 1.97" H	Χ		
6	24x24 Charcoal (Smooth)	608mm W x 608mm L x 50mm H	23.94" W x 23.94" L x 1.97" H	X		1
8	Plank Paver 3x12	76mm W x 305mm L x 100mm H	3" W x 12" L x 4" H	Χ	Χ	X
8	Plank Paver 3x18	76mm W x 457mm L x 100mm H	3" W x 18" L x 4" H	Χ		1
10	Wood Grain	148mm W x 448mm L x 60mm H	5.83" W x 17.64" L x 2.375" H	Χ		
12/14	Artisan Slate Premier/Premier Smooth 6x6	148mm W x 148mm L x 60mm H	5.83" W x 5.83" L x 2.375" H	Χ	Χ	
12/14	Artisan Slate Premier/Premier Smooth 6x12	148mm W x 298mm L x 60mm H	5.83" W x 11.73" L x 2.375" H	X	Χ	
12/14	Artisan Slate Premier/Premier Smooth 12x12	298mm W x 298mm L x 60mm H	11.73" W x 11.73" L x 2.375" H	Χ	Х	1
16	CityScape Series Windsor 4x8	98mm W x 198mm L x 60mm H	3.85" W x 7.79" L x 2.375" H	Χ	Χ	
-	CityScape Series Mission 4.5x4.5	111mm W x 111mm L x 60mm H	4.37" W x 4.37" L x 2.375" H	Χ	Х	
-	CityScape Series Mission 4.5x9	111mm W x 223mm L x 60mm H	4.37" W x 8.78" L x 2.375" H	Χ	Х	
-	CityScape Series Mission 4.5x9	111mm W x 223mm L x 80mm H	4.37" W x 8.78" L x 3.15" H	Χ	Х	
-	CityScape Series Mission 9x9	223mm W x 223mm L x 60mm H	8.78" W x 8.78" L x 2.375" H	Χ	Х	
18	Permeable Mission	98mm W x 198mm L x 80mm H	3.85" W x 7.79" L x 3.15" H	X	Х	Х

The Application Use Guide is only a guideline. Contact your Basalite Representative for specific design details. All vehicular traffic pavements require a site specific design by a professional engineer.







### STILL HAVE QUESTIONS?

We're here to help you get the information and products you need. Email us at canadasales@basalite.com.

### QUALITY FROM START TO FINISH

Located in the Lower Mainland of British Columbia, our state-of-the-art facility enables us to control every step of the manufacturing process and ensure the highest standards of quality and durability. When you choose Basalite pavers, your outdoor spaces will stand the test of time and stylish enough to look good doing it.



basalite.ca

follow us







